

SAFETY DATA SHEET Astonish Cup Clean

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Astonish Cup Clean

Product number WW416

Internal identification F1V2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Removal of stains from glazed ceramics, glass, stainless steel and plastic pots & flasks.

Uses advised against Do not use on silver or aluminium.

1.3. Details of the supplier of the safety data sheet

Supplier The London Oil Refining Company Ltd

Astonish House Unit 1 Premier Point Staithgate Lane Bradford, BD6 1DW

UK

+ 44 1274 767440 + 44 1274 726285

www.astonishcleaners.com

Contact person info@astonish.co.uk

1.4. Emergency telephone number

Emergency telephone (01274) 767440 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram





Signal word Danger

Hazard statements H302 Harmful if swallowed.

H318 Causes serious eye damage.

Astonish Cup Clean

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children and pets.

P103 Read label before use.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves and eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P401 Store in a dry place and store at temperatures not exceeding 40C/104F

Contains Sodium carbonate peroxyhydrate

Additional Labelling

Detergent labelling ≥ 30% oxygen-based bleaching agents

Supplementary precautionary P501 Dispose of contents/ container in accordance with national regulations.

statements

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium carbonate peroxyhydrate 60-100%

CAS number: 15630-89-4 EC number: 239-707-6 REACH registration number: 01-

2119457268-30-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Ox. Sol. 3 - H272 O; R8. Xn; R22. Xi; R41

Acute Tox. 4 - H302 Eye Dam. 1 - H318

Sodium Carbonate 30-60%

CAS number: 497-19-8 EC number: 207-838-8 REACH registration number: 01-

2119485498-19-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi; R36

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth with water. Do NOT induce vomiting. Oxygen or artificial respiration if needed. If

symptoms persist, call a physican or Poison Control Centre immediately.

Skin contact Remove and wash contaminated clothing before re-use. Wash off with soap and water. If

symptoms persist, call a physician.

Astonish Cup Clean

Eye contact Call a physician or poison control centre immediately. In case of eye contact, remove contact

lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation May cause nose, throat, and lung irritation.

Ingestion Severe irritation. Symptoms: Nausea, Abdominal pain, Vomiting, Diarrhoea

Skin contact Prolonged skin contact may cause skin irritation.

Eye contact Severe eye irritation. Risk of serious damage to eyes. Symptoms: Redness, Lachrymation,

Swelling of tissue.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No data available

Specific treatments

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Oxygen released in thermal decomposition may support combustion.

5.3. Advice for firefighters

Protective actions during

Use protection suitable to cause of fire.

firefighting

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid generation of dust. Keep away from incompatible

products.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household

spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area

clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use as instructed on label. Avoid contact with eyes. Avoid dust formation. Ensure adequate

ventilation. Keep away from heat and sources of ignition. Keep away from incompatible products. Use only clean and dry utensils. Never return unused material to storage receptacle.

Keep away from water.

7.2. Conditions for safe storage, including any incompatibilities

Astonish Cup Clean

Storage precautions Store in ambient conditions. Keep out of the reach of children. Keep container tightly closed.

Keep away from heat. Keep at temperature not exceeding 40°C. Store in a dry place. Keep container in a well-ventilated place. Keep only in the original container. Keep away from incompatible products. Keep away from heat/sparks/open flames/hot surfaces - no smoking.

7.3. Specific end use(s)

Specific end use(s) Removal of stains from glazed ceramics, glass, stainless steel and plastic pots & flasks.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Sodium carbonate peroxyhydrate

Long-term exposure limit (8-hour TWA): 5 mg/m³

Sodium Carbonate

Long-term exposure limit (8-hour TWA): 10 mg/m³

Sodium carbonate peroxyhydrate (CAS: 15630-89-4)

PNEC - Fresh water; 35 μg/l

8.2. Exposure controls

Personal protection Wear protective gloves and safety eye wear.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance White granules

Colour White.

Odour Odourless.

Odour threshold Not known.

pH (diluted solution): 10.6 (10.1g/l)

Melting point Not known.

Initial boiling point and range Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Evaporation factor Not known.

Flammability (solid, gas) Does not ignite.

Upper/lower flammability or

explosive limits

Does not ignite.

Other flammability Not relevant.

Vapour pressure Not available.

Vapour density Not available.

Relative density > 1 (Air=1)

Bulk density 900-1,200 kg/m³

Astonish Cup Clean

Solubility(ies) Decomposes in water.

Partition coefficient Not available.

Auto-ignition temperature Not known.

Decomposition Temperature Not available.

Viscosity Not measured

Explosive properties None

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not Oxidising (Method 34.4.1 Test 0.1 for Oxidising Solids)

9.2. Other information

Other information Self-accelerating decomposition temperature (SADT) >55C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reacts with water, bases, heavy metal salts, reducing agents and organic materials.

Decomposes when moist. Decomposes on heating. Potential for exothermic hazard.

10.2. Chemical stability

Stability Potential for exothermic hazard. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Reacts with water, bases, heavy metal salts, reducing agents and organic materials, Oxygen

is released in thermal decomposition may support combustion.

10.4. Conditions to avoid

Conditions to avoid Exposure to moisture, heat, direct sunlight, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Avoid water, bases, heavy metal salts, reducing agents, organic materials, flammable

materials and combustible materials. Do not mix with Chlorine Bleach

10.6. Hazardous decomposition products

Hazardous decomposition

products

Oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effectsThis mixture has not been tested. Based on the avaliable data of the ingredients the

classification criteria are not met.

Acute toxicity - oral

ATE oral (mg/kg) 1,723.33

Inhalation Dust may irritate respiratory system or lungs.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Irritating to eyes.

Astonish Cup Clean

Toxicological information on ingredients.

Sodium carbonate peroxyhydrate

Acute toxicity - oral

Acute toxicity oral (LD50

1,034.0

mg/kg)

Species Rat

ATE oral (mg/kg) 1,034.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

Sodium Carbonate

Acute toxicity - oral

Acute toxicity oral (LD₅o

2,800.0

mg/kg)

Species Rat

ATE oral (mg/kg) 2,800.0

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the avaliable data of the ingredients the

classification criteria are not met.

Ecological information on ingredients.

Sodium carbonate peroxyhydrate

Acute aquatic toxicity

Acute toxicity - fish NOEC, 96 hours: 7.4 mg/l, Pimephales promelas

LC₅₀, hours: mg/l, Pimephales promelas

Acute toxicity - aquatic NOEC, 48 hours: 2 mg/l, Daphnia pulex

invertebrates EC₅₀, : 4.9 mg/l, Daphnia pulex

Sodium Carbonate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 300 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is degraded completely by hydrolysis.

12.3. Bioaccumulative potential

Bioaccumulative potential No bio-accumulative potential noted for any component.

Partition coefficient Not available.

12.4. Mobility in soil

Astonish Cup Clean

Mobility

No concerns- the product will dissociate into naturally occuring ions whose levels are

regulated by living organisms.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the

environment. Dispose of contaminated packaging in the same way as the product itself. Non-

contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by

453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).

Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March

2004 on detergents.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Supersedes date: 14/09/2017

Astonish Cup Clean

SECTION 16: Other information

Abbreviations and acronyms ATE: Acute Toxicity Estimate.
used in the safety data sheet CAS: Chemical Abstracts Service.

EC₅₀: 50% of maximal Effective Concentration.

LC₅o: Lethal Concentration to 50 % of a test population.

NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative.

General information Note: The hazard statements below are explanations of phrases used in the SDS as

abbreviations and DO NOT apply to the product. The statements applicable to the product are

those identified in Section 2 only.

Revision comments Section 9 updated reference to test used to confirm product not oxidising.

Issued by The London Oil Refining Company Ltd

Revision date 27/03/2018

Revision 1.2

Supersedes date 14/09/2017

SDS number 4913

Risk phrases in full R8 Contact with combustible material may cause fire.

R22 Harmful if swallowed. R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

Hazard statements in full H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.